

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

• **1.1 Product identifier**

• **Trade name:** Unimatic-D Teil 1

• **Article number:** 10091

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

• **Application of the substance / the mixture**

Photochemicals  
Developer for X-ray films  
Reserved for industrial and professional use.

• **1.3 Details of the supplier of the safety data sheet**

• **Manufacturer/Supplier:**

Calbe Chemie GmbH  
Stadtfeld 31  
D-39240 Calbe  
Tel.: +49 (0)39291 425-0  
Fax: +49 (0)39291 425-25  
e-mail: info@calbe-chemie.de  
www.calbe-chemie.de

• **Informing department:**

Tel.: +49 (0)39291 42515  
E-Mail: kr@calbe-chemie.de

• **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

### SECTION 2: Hazards identification

• **2.1 Classification of the substance or mixture**

• **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Muta. 2            H341 Suspected of causing genetic defects.

Carc. 2            H351 Suspected of causing cancer.



GHS05 corrosion

Eye Dam. 1       H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

(Contd. on page 2)

GB

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 1)

Skin Irrit. 2 H315 Causes skin irritation.  
 Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

hydroquinone

· **Hazard statements**

H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H317 May cause an allergic skin reaction.  
 H341 Suspected of causing genetic defects.  
 H351 Suspected of causing cancer.  
 H400 Very toxic to aquatic life.

· **Precautionary statements**

P273 Avoid release to the environment.  
 P280 Wear protective gloves / eye protection / face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 3)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 1

(Contd. of page 2)

**· Dangerous components:**

CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx	hydroquinone ----- ☠ Acute Tox. 3, H311 ☠ Muta. 2, H341; Carc. 2, H351 ☠ Eye Dam. 1, H318 ☠ Aquatic Acute 1, H400 (M=10) ☠ Acute Tox. 4, H302; Skin Sens. 1, H317	≥3-<5%
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21-xxxx	2,2'-oxybisethanol ----- ☠ Acute Tox. 4, H302	2-5%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-xxxx	boric acid ----- ☠ Repr. 1B, H360FD	2-5%
CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36-xxxx	potassium carbonate ----- ☠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0.5-2%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-xxxx	potassium hydroxide ----- ☠ Met. Corr.1, H290; Skin Corr. 1A, H314 ☠ Acute Tox. 4, H302	≥0.5-<2%

**· SVHC**

10043-35-3 | boric acid

**· Additional information** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures****· General information**

Personal protection for the First Aider.  
Instantly remove any clothing soiled by the product.

**· After inhalation** Supply fresh air.**· After skin contact**

Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

**· After eye contact**

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

**· After swallowing**

Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; instantly call for medical help.

**· 4.2 Most important symptoms and effects, both acute and delayed**

No known symptoms to date.

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire  
sulphur dioxide (SO<sub>2</sub>)  
Carbon monoxide
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
At formation of toxic gases:  
Put on breathing apparatus.
- **Additional information** The product is not flammable

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Do not handle until all safety precautions have been read and understood.
- **Information about protection against explosions and fires:**  
No special measures required.  
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Store only in unopened original containers.  
Keep container tightly closed in a cool, well-ventilated place.

(Contd. on page 5)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 4)

- **Information about storage in one common storage facility:**  
Keep away from foodstuffs, beverages and food.  
Do not store together with acids.  
Store away from oxidising agents.
- **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class**  
LGK 13  
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**123-31-9 hydroquinone**

WEL Long-term value: 0.5 mg/m<sup>3</sup>

**111-46-6 2,2'-oxybisethanol**

WEL Long-term value: 101 mg/m<sup>3</sup>, 23 ppm

**1310-58-3 potassium hydroxide**

WEL Short-term value: 2 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to general rules for handling chemicals.  
Keep away from foodstuffs, beverages and food.  
Do not eat, drink or smoke while working.  
Take off immediately all contaminated clothing.  
Wash contaminated clothing before reuse.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
Protective gloves.  
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.  
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.  
Only use chemical-protective gloves with CE-labelling of category III.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 5)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

	Breakthrough time	
	Thickness (mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

• **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level:

≥ 3 (60 min)

• **Eye protection:** Tightly sealed safety glasses.

• **Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Not characteristic

• **pH-value at 25 °C:** 11.1

• **Change in condition**

<b>Melting point/freezing point:</b>	< 5 °C
<b>Initial boiling point and boiling range:</b>	> 100 °C

• **Flash point:** Not applicable

• **Self-inflammability:** Product is not selfigniting.

• **Explosive properties:** Product is not explosive.

• **Vapour pressure at 20 °C:** 23 hPa

• **Density at 20 °C** 1.21 g/cm<sup>3</sup>

• **Solubility in / Miscibility with**

**Water:** miscible

• **Viscosity:**

<b>dynamic:</b>	Not determined
<b>kinematic:</b>	Not determined

• **Solvent content:**

<b>Organic solvents:</b>	3.5 %
<b>Water:</b>	~ 70 %

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 1

(Contd. of page 6)

- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with strong acids  
Reacts with acids releasing sulphur dioxide
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

#### 123-31-9 hydroquinone

Oral	LD50	320 mg/kg (rat)
------	------	-----------------

#### 111-46-6 2,2'-oxybisethanol

Oral	LD50	12565 mg/kg (rat)
Dermal	LD50	11890 mg/kg (rabbit)

#### 10043-35-3 boric acid

Oral	LD50	2660 mg/kg (rat)
------	------	------------------

#### 1310-58-3 potassium hydroxide

Oral	LD50	365 mg/kg (rat)
------	------	-----------------

#### 584-08-7 potassium carbonate

Oral	LD50	> 2000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **Additional toxicological information:**  
At present there are no animal experimental data.  
This statement was deduced from the properties of the single components.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 1

(Contd. of page 7)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
Limited evidence of a carcinogenic effect.  
Possible risk of irreversible effects.
- **Germ cell mutagenicity**  
Suspected of causing genetic defects.
- **Carcinogenicity**  
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### • 12.1 Toxicity

#### • Aquatic toxicity:

##### 123-31-9 hydroquinone

EC50/48 h	0.29 mg/l (Daphnia magna)
IC50/72 h	0.335 mg/l (Selenastrum capricornutum)
LC50/96 h	0.044 mg/l (Pimephales promelas)

##### 111-46-6 2,2'-oxybisethanol

EC50/48 h	> 10000 mg/l (Daphnia magna)
LC50/96 h	75200 mg/l (Pimephales promelas)

##### 10043-35-3 boric acid

EC50/48 h	133 mg/l (Daphnia magna)
LC50/96 h	50 - 100 mg/l (Onchrohynchus mykiss)

##### 1310-58-3 potassium hydroxide

LC50/96 h	80 mg/l (Gambusia affinis)
-----------	----------------------------

##### 584-08-7 potassium carbonate

EC50/48 h	380-820 mg/l (Daphnia magna)
LC50/96 h	310-750 mg/l (Pimephales promelas)

- **12.2 Persistence and degradability** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:** No further relevant information available.
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**  
At present there are no ecotoxicological assessments.  
This statement was deduced from the properties of the single components.  
Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 8)

- Do not allow product to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
 Must be specially treated under adherence to official regulations.

• **European waste catalogue**


09 01 01*	water-based developer and activator solutions
-----------	---

- **Uncleaned packagings:**
- **Recommendation:**  
 Non contaminated packagings can be used for recycling.  
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.  
 Packagings that cannot be cleaned are to be disposed of in the same manner as the product.  
 EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

**SECTION 14: Transport information**

- |                                       |  |
|---------------------------------------|--|
| • <b>14.1 UN-Number</b>               |  |
| • <b>ADR/RID, IMDG, IATA</b>          | UN 3082  |
| • <b>14.2 UN proper shipping name</b> |  |
| • <b>ADR/RID</b>                      | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone) |
| • <b>IMDG, IATA</b>                   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone) |

- **14.3 Transport hazard class(es)**
- **ADR/RID, IMDG, IATA**



- **Class** 9 Miscellaneous dangerous substances and articles.
- **Label** 9

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 9)

<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR/RID, IMDG, IATA</b></li> </ul>	<p>III</p>
<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR/RID):</b></li> <li>· <b>Special marking (IATA):</b></li> </ul>	<p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p>
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> </ul>	<p>Warning: Miscellaneous dangerous substances and articles.</p>
<ul style="list-style-type: none"> <li>· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>	<p>Not applicable.</p>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	<p>These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general.</p> <p>See the following notes.</p>
<ul style="list-style-type: none"> <li>· <b>ADR/RID</b></li> </ul>	<p>Goods are not subject to the provisions in accordance with the special provision 375 ADR.</p>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul>	<p>Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.</p>
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	<p>Goods are not subject to the provisions in accordance with the special provision A197 IATA-DGR.</p>
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	<p>UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDROQUINONE), 9, III</p>

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 10)

• **National regulations**

• **Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

Class	Share in %
I	4.1
NK	3.5

• **Water hazard class:** Water danger class 3 (Self-assessment): highly water-endangering.

• **Other regulations, limitations and prohibitive regulations**

• **Substances of very high concern (SVHC) according to REACH, Article 57**

10043-35-3	boric acid
------------	------------

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H311 Toxic in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H341 Suspected of causing genetic defects.  
 H351 Suspected of causing cancer.  
 H360FD May damage fertility. May damage the unborn child.  
 H400 Very toxic to aquatic life.

• **Recommended restriction of use** No public product, only for commercial use

• **Department issuing data specification sheet:**

Laboratory  
 Tel.: +49 (0)39291 425-15

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent

(Contd. on page 12)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 1**

(Contd. of page 11)

LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Met. Corr. 1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Muta. 2: Germ cell mutagenicity – Category 2  
Carc. 2: Carcinogenicity – Category 2  
Repr. 1B: Reproductive toxicity – Category 1B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

• **Sources**

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,  
Information system on hazardous substances of the German Social Accident Insurance  
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- \* **Data compared to the previous version altered.**

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

• **1.1 Product identifier**

• **Trade name:** Unimatic-D Teil 2

• **Article number:** 10091

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

• **Application of the substance / the mixture**

Photochemicals  
Developer for X-ray films  
Reserved for industrial and professional use.

• **1.3 Details of the supplier of the safety data sheet**

• **Manufacturer/Supplier:**

Calbe Chemie GmbH  
Stadtfeld 31  
D-39240 Calbe  
Tel.: +49 (0)39291 425-0  
Fax: +49 (0)39291 425-25  
e-mail: info@calbe-chemie.de  
www.calbe-chemie.de

• **Informing department:**

Tel.: +49 (0)39291 42515  
E-Mail: kr@calbe-chemie.de

• **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

**SECTION 2: Hazards identification**

• **2.1 Classification of the substance or mixture**

• **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

• **2.2 Label elements**

• **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

• **Hazard pictograms**



GHS05

• **Signal word** Danger

• **Hazard-determining components of labelling:**

disodium disulphite

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

Trade name: Unimatic-D Teil 2

(Contd. of page 1)

- **Hazard statements**  
H318 Causes serious eye damage.
- **Precautionary statements**  
P280 Wear protective gloves / eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 7681-57-4 EINECS: 231-673-0 Index number: 016-063-00-2 Reg.nr.: 01-2119531326-45-xxxx	disodium disulphite ☞ Eye Dam. 1, H318 ☞ Acute Tox. 4, H302	≥3-<5%
CAS: 139-89-9 EINECS: 205-381-9 Reg.nr.: 01-2119972845-22-xxxx	Hydroxyethylethylenediaminetriacetic acid, trisodium salt, solution ☞ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.5-2%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**  
Personal protection for the First Aider.  
Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact** The product is not skin irritating.
- **After eye contact**  
Rinse opened eye for several minutes under running water (at least 15 minutes).  
Remove contact lenses, if present and easy to do.  
Use eye protection.  
Call a doctor immediately.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; instantly call for medical help.

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 2**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**  
No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire  
Sulphur oxides (SO<sub>x</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
At formation of toxic gases:  
Put on breathing apparatus.
- **Additional information** The product is not flammable

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:**  
No special measures required.  
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Keep container tightly sealed.
- **Information about storage in one common storage facility:**  
Keep away from foodstuffs, beverages and food.

(Contd. on page 4)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 2**

(Contd. of page 3)

- **Further information about storage conditions:** Store in a cool place.
- **Storage class**  
LGK 12  
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see section 7.

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**7681-57-4 disodium disulphite**

WEL	Long-term value: 5 mg/m <sup>3</sup>
-----	--------------------------------------

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash contaminated clothing before reuse.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

- **Breathing equipment:** Not required.

- **Protection of hands:**

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Synthetic gloves

Avoid natural rubber gloves.

- **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level:

≥ 3 (60 min)

- **Eye protection:** Tightly sealed safety glasses.

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 2**

(Contd. of page 4)

- **Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Colourless
· <b>Odour:</b>	Odourless

· **pH-value at 25 °C:** 6.8

· **Change in condition**

· <b>Melting point/freezing point:</b>	< 5 °C
· <b>Initial boiling point and boiling range:</b>	> 100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Critical values for explosion:**

· **Oxidising properties:** None

· **Vapour pressure at 20 °C:** 23 hPa

· **Density at 20 °C:** 1.17 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

· **Water:** miscible

· **Viscosity:**

· <b>dynamic:</b>	Not determined
· <b>kinematic:</b>	Not determined

· **Solvent content:**

· <b>Organic solvents:</b>	0.0 %
· <b>Water:</b>	~ 90

· **9.2 Other information** No further relevant information available.

**SECTION 10: Stability and reactivity**

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions**

- Reacts with strong acids
- Reacts with acids releasing sulphur dioxide

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

Trade name: Unimatic-D Teil 2

(Contd. of page 5)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values that are relevant for classification:**
- |                                      |      |                  |
|--------------------------------------|------|------------------|
| <b>7681-57-4 disodium disulphite</b> |      |                  |
| Oral                                 | LD50 | 3200 mg/kg (rat) |
- **Primary irritant effect:**
  - **Skin corrosion/irritation**
  - **Serious eye damage/irritation**  
Causes serious eye damage.
  - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
  - **Subacute to chronic toxicity:** No known symptoms to date.
  - **Additional toxicological information:**  
This statement was deduced from the properties of the single components.
  - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
  - **Aquatic toxicity:**
- |                                      |                               |
|--------------------------------------|-------------------------------|
| <b>7681-57-4 disodium disulphite</b> |                               |
| EC50/48 h                            | 89 mg/l (Daphnia magna)       |
| LC50/96 h                            | 32 mg/l (Lepomis macrochirus) |
- **12.2 Persistence and degradability** Not determined
  - **12.3 Bioaccumulative potential** Not determined
  - **Behaviour in environmental systems:** Not determined
  - **12.4 Mobility in soil** No further relevant information available.
  - **Ecotoxic effects:** No further relevant information available.
  - **Behaviour in sewage processing plants:** Not determined

(Contd. on page 7)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 2**

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
 At present there are no ecotoxicological assessments.  
 This statement was deduced from the properties of the single components.  
 Water hazard class 2 (German Regulation) (Self-assessment): Water-endangering.  
 Do not allow product to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
 Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 01*	water-based developer and activator solutions
-----------	---

- **Uncleaned packagings:**
- **Recommendation:**  
 Non contaminated packagings can be used for recycling.  
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.  
 Packagings that cannot be cleaned are to be disposed of in the same manner as the product.  
 EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

**SECTION 14: Transport information**

- |  |      |
|--|------|
| · <b>14.1 UN-Number</b>                  |      |
| · <b>ADR/RID, ADN, IMDG, IATA</b>        | Void |
| · <b>14.2 UN proper shipping name</b>    |      |
| · <b>ADR/RID</b>                         | Void |
| · <b>ADN, IMDG, IATA</b>                 | Void |
| · <b>14.3 Transport hazard class(es)</b> |      |
| · <b>ADR/RID, ADN, IMDG, IATA</b>        |      |
| · <b>Class</b>                           | Void |
| · <b>14.4 Packing group</b>              |      |
| · <b>ADR/RID, IMDG, IATA</b>             | Void |

(Contd. on page 8)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 2**

(Contd. of page 7)

· <b>14.5 Environmental hazards:</b>	Not applicable.
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Water hazard class:** Water hazard class 2 (Self-assessment): water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.
- **Recommended restriction of use** No public product, only for commercial use
- **Department issuing data specification sheet:**  
Laboratory  
Tel.: +49 (0)39291 425-15
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 8

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 2**

(Contd. of page 8)

LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

• **Sources**

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,  
Information system on hazardous substances of the German Social Accident Insurance  
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- \* **Data compared to the previous version altered.**

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018


**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: Unimatic-D Teil 3**


---

- **Article number: 10091**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**  
Photochemicals  
Developer for X-ray films  
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Calbe Chemie GmbH  
Stadtfeld 31  
D-39240 Calbe  
Tel.: +49 (0)39291 425-0  
Fax: +49 (0)39291 425-25  
e-mail: info@calbe-chemie.de  
www.calbe-chemie.de
- **Informing department:**  
Tel.: +49 (0)39291 42515  
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)**

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
-  GHS07  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.

---

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**
-  GHS07
- **Signal word** Warning
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

(Contd. on page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 3**

(Contd. of page 1)

**Precautionary statements**

- P280 Wear protective gloves / eye protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**
**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

**Dangerous components:**

CAS: 64-19-7 EINECS: 200-580-7 Index number: 607-002-00-6 Reg.nr.: 01-2119475328-30-xxxx	acetic acid ----- ☠ Flam. Liq. 3, H226 ☠ Skin Corr. 1A, H314 ☠ Acute Tox. 4, H312	10-15%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35-xxxx	1-methoxypropan-2-ol ----- ☠ Flam. Liq. 3, H226 ☠ STOT SE 3, H336	≥5-<10%
CAS: 92-43-3 EINECS: 202-155-1 Index number: 606-022-00-2 Reg.nr.: 01-2120118765-53-xxxx	1-phenyl-3-pyrazolidone ----- ☠ Aquatic Chronic 2, H411 ☠ Acute Tox. 4, H302	≥2-<2.5%
CAS: 25322-68-3 NLP: 500-038-2 Reg.nr.: 01-2119958801-32-xxxx	Polyethylenglycol	50-75%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**General information**

Personal protection for the First Aider.  
Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air.

**After skin contact**

Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 3**

(Contd. of page 2)

- **After eye contact**  
Rinse opened eye for several minutes under running water (at least 15 minutes).  
Remove contact lenses, if present and easy to do.  
Use eye protection.  
Call a doctor immediately.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; instantly call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire  
Carbon monoxide
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
At formation of toxic gases:  
Put on breathing apparatus.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Keep containers tightly sealed.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 4)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 3**

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**  
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class**  
LGK 12  
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**107-98-2 1-methoxypropan-2-ol**

WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
	Sk

- **Additional information:** The lists that were valid during the compilation were used as basis.
  - **8.2 Exposure controls**
  - **Personal protective equipment**
  - **General protective and hygienic measures**  
The usual precautionary measures should be adhered to general rules for handling chemicals.  
Keep away from foodstuffs, beverages and food.  
Take off immediately all contaminated clothing.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.
  - **Breathing equipment:** Not required.
  - **Protection of hands:**  
Protective gloves.  
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.  
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.  
Only use chemical-protective gloves with CE-labelling of category III.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
  - **Material of gloves**
- |                    |                         |       |
|--------------------|-------------------------|-------|
| Thickness (mm)     | Breakthrough time (min) |       |
| Chloroprene rubber | 0,5                     | > 480 |
| Nitril rubber      | 0,35                    | > 480 |

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 3**

(Contd. of page 4)

Butyl rubber	0,5	> 480
Fluorocarbon rubber	0,4	> 480
PVC	0,5	> 480

Avoid natural rubber gloves.

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level:

≥ 3 (60 min)

· **Eye protection:** Tightly sealed safety glasses.

· **Body protection:** Light weight protective clothing

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid  
Colour: Light yellow

· **Odour:** Acidic

· **pH-value at 25 °C:** 4.1

· **Change in condition**

Melting point/freezing point: < 5 °C  
Initial boiling point and boiling range: > 100 °C

· **Flash point:** 65 °C

· **Ignition temperature:** 270 °C

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Critical values for explosion:**

Lower: 4.0 Vol %  
Upper: 17.0 Vol %

· **Vapour pressure at 20 °C:** 16 hPa

· **Density at 20 °C** 1.106 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

Water: miscible

· **Viscosity:**

dynamic: Not determined  
kinematic: Not determined

· **Solvent content:**

Organic solvents: 21.9 %  
Water: 2.9 %

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 3

(Contd. of page 5)

- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

#### 64-19-7 acetic acid

Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1060 mg/kg (rabbit)

#### 107-98-2 1-methoxypropan-2-ol

Oral	LD50	4016 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

#### 92-43-3 1-phenyl-3-pyrazolidone

Oral	LD50	200 mg/kg (rat)
------	------	-----------------

#### 25322-68-3 Polyethylenglycol

Oral	LD50	> 2000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** No known symptoms to date.
- **Additional toxicological information:**  
This statement was deduced from the properties of the single components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 3

(Contd. of page 6)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### · 12.1 Toxicity

- **Aquatic toxicity:**  
Not determined

#### 64-19-7 acetic acid

LC50/96 h | 75 mg/l (Lepomis macrochirus)

#### 107-98-2 1-methoxypropan-2-ol

EC50/48 h	23300 mg/l (Daphnia magna)
	≥1000 mg/l (Onchrohynchus mykiss)
IC50/72 h	> 1000 mg/l (Selenastrum capricornutum)
LC50/96 h	6812 mg/l (Leuciscus idus)
	20800 mg/l (Pimephales promelas)

#### 92-43-3 1-phenyl-3-pyrazolidone

LC50/96 h | 1-10 mg/l (Pimephales promelas)

#### 25322-68-3 Polyethylenglycol

LC50/96 h | &gt; 100 mg/l (Leuciscus idus)

- **12.2 Persistence and degradability** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxic effects:**
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 3

(Contd. of page 7)

Must be specially treated under adherence to official regulations.

<ul style="list-style-type: none"> <li>• <b>European waste catalogue</b></li> </ul>	
09 01 01*	water-based developer and activator solutions

- **Uncleaned packagings:**

- **Recommendation:**

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

EAK-No. 15 01 10

- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR/RID, IMDG, IATA**

UN 2790

- **14.2 UN proper shipping name**

- **ADR/RID, IMDG, IATA**

ACETIC ACID SOLUTION

- **14.3 Transport hazard class(es)**

- **ADR/RID, IMDG, IATA**



- **Class**

8 Corrosive substances.

- **Label**

8

- **14.4 Packing group**

- **ADR/RID, IMDG, IATA**

III

- **14.5 Environmental hazards:**

- **Marine pollutant:**

No

- **14.6 Special precautions for user**

Warning: Corrosive substances.

- **Kemler Number:**

80

- **EMS Number:**

F-A,S-B

- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

- **Transport/Additional information:**

- **ADR/RID**

- **Limited quantities (LQ)**

5 l

- **Transport category**

3

- **Tunnel restriction code**

E

- **Remarks:**

"Limited quantity" according to chapter 3.4 ADR

(Contd. on page 9)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

Trade name: Unimatic-D Teil 3

(Contd. of page 8)

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Remarks:</b></li> </ul> | <p>5 l</p> <p>"Limited quantity" according to chapter 3.4 IMDG</p> |
| <ul style="list-style-type: none"> <li>· <b>IATA</b></li> <li>· <b>Remarks:</b></li> </ul>   | <p>Packing Instruction<br/>PAX 852 CAO 856</p>                     |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>  | <p>UN 2790 ACETIC ACID SOLUTION, 8, III</p>                        |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **National regulations**

Class	Share in %
II	14.0
NK	7.8

- **Water hazard class:** Water hazard class 1 (Self-assessment): weakly water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

- **Recommended restriction of use** No public product, only for commercial use

- **Department issuing data specification sheet:**

Laboratory  
Tel.: +49 (0)39291 425-15

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.01.2018

Version 7

Revision: 16.01.2018

**Trade name: Unimatic-D Teil 3**

(Contd. of page 9)

IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

• **Sources**

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,  
Information system on hazardous substances of the German Social Accident Insurance  
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- **\* Data compared to the previous version altered.**