

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: CP-48S Process Box P-1**

· **Article number:** 16725

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

· **Application of the substance / the mixture**

Photochemicals
Colour paper photographic processing solution
Photographic developer
Photographic activities
Reserved for industrial and professional use.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Calbe Chemie GmbH
Stadtfeld 31
D-39240 Calbe
Tel.: +49 (0)39291 425-0
Fax: +49 (0)39291 425-25
e-mail: info@calbe-chemie.de
www.calbe-chemie.de

· **Informing department:**

Tel.: +49 (0)39291 42515
E-Mail: kr@calbe-chemie.de

· **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Met. Corr. 1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07 GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**
potassium hydroxide
N-(2-(N-Ethyl-(4-Amino-3-methylphenyl)-amino)-ethyl)-methan-sulfonamidesquisulphate
sodium hydroxide
- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36-xxxx	potassium carbonate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥5-<10%
CAS: 25646-71-3 EINECS: 247-161-5 Index number: 612-134-00-2	N-(2-(N-Ethyl-(4-Amino-3-methylphenyl)-amino)-ethyl)-methan-sulfonamidesquisulphate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	≥2.5-<5%

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 2)

CAS: 657-84-1 EINECS: 211-522-5	sodium toluene-4-sulphonate ☠ Eye Irrit. 2, H319	2-5%
CAS: 3710-84-7 EINECS: 223-055-4 Reg.nr.: 01-2119962470-39-xxxx	N,N-diethylhydroxylamine ☠ Flam. Liq. 3, H226 ☠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2-5%
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21-xxxx	2,2'-oxybisethanol ☠ STOT RE 2, H373 ☠ Acute Tox. 4, H302	2-5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-xxxx	potassium hydroxide ☠ Met. Corr. 1, H290; Skin Corr. 1A, H314 ☠ Acute Tox. 4, H302	≥2-<5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide ☠ Met. Corr. 1, H290; Skin Corr. 1A, H314	≥0.5-<2%

• **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information

Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.

• After inhalation

Supply fresh air and call for doctor for safety reasons.
In case of unconsciousness bring patient into stable side position for transport.

• After skin contact

Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

• After eye contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

• After swallowing

Rinse out mouth and then drink plenty of water.
Call a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 4)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 3)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Sulphur oxides (SO_x)
Nitrogen oxides (NO_x)
Carbon monoxide
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep containers tightly sealed.
Keep away from heat and direct sunlight.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from oxidising agents.
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 4)

- Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class**
LGK 8 B
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

111-46-6 2,2'-oxybisethanol

WEL	Long-term value: 101 mg/m ³ , 23 ppm
-----	---

1310-58-3 potassium hydroxide

WEL	Short-term value: 2 mg/m ³
-----	---------------------------------------

- **Additional information:** The lists that were valid during the compilation were used as basis.
 - **8.2 Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing.
Wash contaminated clothing before reuse.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Do not eat, drink or smoke while working.
 - **Breathing equipment:** Provide adequate ventilation.
 - **Protection of hands:**
Protective gloves.
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.
Only use chemical-protective gloves with CE-labelling of category III.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - **Material of gloves**
- | Thickness | Breakthrough time | |
|---------------|-------------------|-------|
| | (mm) | (min) |
| Nitril rubber | 0,38 | > 480 |
| Neoprene | 0,65 | > 240 |
| Butyl rubber | 0,36 | > 480 |
- Avoid natural rubber gloves.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 5)

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level:

≥ 3 (60 min)

· **Eye protection:** Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Light yellow

· **Odour:** Recognisable

· **Odour threshold:** Not determined

· **pH-value at 25 °C:** > 13

· **Change in condition**

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 100 °C

· **Flash point:** > 100 °C

· **Ignition temperature:** Not determined

· **Decomposition temperature:** Not determined

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density at 20 °C** 1.15 g/cm³

· **Solubility in / Miscibility with**

Water: miscible

· **Viscosity:**

dynamic: Not determined

kinematic: Not determined.

· **Solvent content:**

Organic solvents: ~ 2 %

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 6)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidizing agents
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Formation of poisonous gases during heating or in fires.
Carbon monoxide and carbon dioxide
Sulphur oxides (SOx)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

584-08-7 potassium carbonate

Oral	LD50	> 2000 mg/kg (rat)
------	------	--------------------

25646-71-3 N-(2-(N-Ethyl-(4-Amino-3-methylphenyl)-amino)-ethyl)-methan-sulfonamidesquisulphate

Oral	LD50	246 mg/kg (rat)
------	------	-----------------

111-46-6 2,2'-oxybisethanol

Oral	LD50	12565 mg/kg (rat)
Dermal	LD50	11890 mg/kg (rabbit)

1310-58-3 potassium hydroxide

Oral	LD50	365 mg/kg (rat)
------	------	-----------------

1310-73-2 sodium hydroxide

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

657-84-1 sodium toluene-4-sulphonate

Oral	LD50	>3,000 mg/kg (rat)
------	------	--------------------

6381-92-6 Ethylendinitrilotetraessigsäure Dinatrium-salz-Dihydrat

Oral	LD50	2,800 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Subacute to chronic toxicity:** No known symptoms to date.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 7)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

584-08-7 potassium carbonate

EC50/48 h 380-820 mg/l (Daphnia magna)

LC50/96 h 310-750 mg/l (Pimephales promelas)

25646-71-3 N-(2-(N-Ethyl-(4-Amino-3-methylphenyl)-amino)-ethyl)-methan-sulfonamidesquisulphate

LC50/96 h 1.8 mg/l (fathead minnow)

- **12.2 Persistence and degradability** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:** No further relevant information available.
- **Remark:** Toxic for fish
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
At present there are no ecotoxicological assessments.
This statement was deduced from the properties of the single components.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Must be specially treated under adherence to official regulations.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 8)

• **European waste catalogue**

09 01 01*	water-based developer and activator solutions
-----------	---

• **Uncleaned packagings:**

• **Recommendation:**

Non contaminated packagings can be used for recycling.

Contaminated packing must be completely emptied.

Disposal must be made according to official regulations.

• **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

• **14.1 UN-Number**

• **ADR/RID, IMDG, IATA**

UN 1719

• **14.2 UN proper shipping name**

• **ADR/RID**

CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

• **IMDG, IATA**

CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hydroxide)

• **14.3 Transport hazard class(es)**

• **ADR/RID, IMDG**



• **Class**

8 Corrosive substances.

• **Label**

8

• **IATA**



• **Class**

8 Corrosive substances.

• **Label**

8

• **14.4 Packing group**

• **ADR/RID, IMDG, IATA**

III

• **14.5 Environmental hazards:**

Product contains environmentally hazardous substances: N-(2-(N-Ethyl-(4-Amino-3-methylphenyl)-amino)-ethyl)-methan-sulfonamidesquisulphate

• **Marine pollutant:**

Symbol (fish and tree)

• **Special marking (ADR/RID):**

Symbol (fish and tree)

• **14.6 Special precautions for user**

Warning: Corrosive substances.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 9)

<ul style="list-style-type: none"> · Kemler Number: 80 · EMS Number: F-A,S-B · Segregation groups 18 - Alkalis
<ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: <hr style="border-top: 1px dashed black;"/> <ul style="list-style-type: none"> · ADR/RID · Limited quantities (LQ) 5 l · Transport category 3 · Tunnel restriction code E · Remarks: "Limited quantity" according to chapter 3.4 ADR <hr style="border-top: 1px dashed black;"/> <ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) 5 l · Remarks: "Limited quantity" according to chapter 3.4 IMDG <hr style="border-top: 1px dashed black;"/> <ul style="list-style-type: none"> · IATA · Remarks: Packing Instruction PAX 852, CAO 856
<ul style="list-style-type: none"> · UN "Model Regulation": UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), 8, III, MARINE POLLUTANT/ ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E2** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **National regulations**

Class	Share in %
NK	3.0

- **Water hazard class:** Water danger class 3 (Self-assessment): highly water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

(Contd. of page 10)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

• **Recommended restriction of use** No public product, only for commercial use

• **Department issuing data specification sheet:**

Laboratory
Tel.: +49 (0)39291 425-15

• **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 3: Flammable liquids – Category 3
- Met. Corr. 1: Corrosive to metals – Category 1
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1A: Skin corrosion/irritation – Category 1A
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

• **Sources**

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-1

applicable EEC directives:

- 1907/2006
- 1272/2008

· * **Data compared to the previous version altered.**

(Contd. of page 11)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 07.01.2019

Version 6



Revision: 07.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: CP-48S Process Box P-2A**

- **Article number:** 16725
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**
Photographic activities
Photochemicals
photographic processing chemical
Colour paper photographic processing solution
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Calbe Chemie GmbH
Stadtfeld 31
D-39240 Calbe
Tel.: +49 (0)39291 425-0
Fax: +49 (0)39291 425-25
e-mail: info@calbe-chemie.de
www.calbe-chemie.de
- **Informing department:**
Tel.: +49 (0)39291 42515
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
-  GHS05 corrosion
Eye Dam. 1 H318 Causes serious eye damage.
-  GHS07
Skin Irrit. 2 H315 Causes skin irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 1)

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

nitric acid

· **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

· **Precautionary statements**

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2 Index number: 007-004-00-1	nitric acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	≥2-<5%
---	-------------	---	--------

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 2)

If skin irritation continues, consult a doctor.

• **After eye contact**

Rinse opened eye for several minutes under running water (at least 15 minutes).
Remove contact lenses, if present and easy to do.
Use eye protection.
Call a doctor immediately.

• **After swallowing**

Rinse out mouth and then drink plenty of water.
Seek immediate medical advice.

• **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

• **5.1 Extinguishing media**

• **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

• **5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire
Carbon dioxide
Carbon monoxide
Nitrogen oxides (NO_x)

• **5.3 Advice for firefighters**

• **Protective equipment:**

Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.

• **Additional information** The product is not flammable

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.

• **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.

• **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.

• **6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

See Section 13 for information on disposal.

(Contd. of page 3)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:** The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Store away from oxidising agents.
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class**
LGK 12
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7697-37-2 nitric acid

WEL	Short-term value: 2.6 mg/m ³ , 1 ppm
-----	---

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Do not eat, drink or smoke while working.
The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing.
Wash contaminated clothing before reuse.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**
Protective gloves.
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 4)

as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

• **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level \geq 3 (60 min)

• **Eye protection:** Safety glasses

• **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:	Fluid
Colour:	Brown
Odour:	Not characteristic

• **pH-value at 25 °C:** 4.2

• **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	> 100 °C

• **Flash point:** Not applicable

• **Self-inflammability:** Product is not selfigniting.

• **Explosive properties:** Product is not explosive.

• **Density at 20 °C** 1.16 g/cm³

• **Solubility in / Miscibility with**

Water: miscible

• **Viscosity:**

dynamic:	Not determined
kinematic:	Not determined

• **Solvent content:**

Organic solvents: 0 %

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 5)

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with alkali (lyes)
Reacts with oxidizing agents
No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Specific symptoms in biological assay:** Not determined
- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
This statement was deduced from the properties of the single components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No known symptoms to date.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Not determined

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 6)

- **12.3 Bioaccumulative potential** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
 Water hazard class 2 (German Regulation) (Self-assessment): Water-endangering.
 At present there are no ecotoxicological assessments.
 This statement was deduced from the properties of the single components.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 05*	bleach solutions and bleach fixer solutions
-----------	---

- **Uncleaned packagings:**
- **Recommendation:**
 Non contaminated packagings can be used for recycling.
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|---------------------------------------|------|
| · 14.1 UN-Number | |
| · ADR/RID, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | |
| · ADR/RID | Void |
| · ADN, IMDG, IATA | Void |

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 7)

· 14.3 Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Water hazard class:** Water hazard class 2 (Self-assessment): water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H272 May intensify fire; oxidiser.
H314 Causes severe skin burns and eye damage.
- **Department issuing data specification sheet:**
Laboratory
Tel.: +49 (0)39291 425-15
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 6

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2A

(Contd. of page 8)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

• **Sources**

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance

(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

applicable EEC directives:

- 1907/2006

- 1272/2008

• * **Data compared to the previous version altered.**

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5


Revision: 07.01.2019


SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: CP-48S Process Box P-2B**

- **Article number:** 16725
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Photochemicals
Colour paper photographic processing solution
Photographic fixer
Photographic activities
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Calbe Chemie GmbH
Stadtfeld 31
D-39240 Calbe
Tel.: +49 (0)39291 425-0
Fax: +49 (0)39291 425-25
e-mail: info@calbe-chemie.de
www.calbe-chemie.de
- **Informing department:**
Tel.: +49 (0)39291 42515
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
 GHS07
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**
 GHS07
- **Signal word** Warning
- **Hazard statements**
H319 Causes serious eye irritation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

(Contd. of page 1)

• **Precautionary statements**

- P280 Wear eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **2.3 Other hazards**

• **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
 • **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

• **3.2 Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

• **Dangerous components:**

CAS: 10192-30-0 EINECS: 233-469-7 Reg.nr.: 01-2119537321-49-xxxx	ammonium hydrogensulphite Eye Irrit. 2, H319	15-20%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2	ammonia solution 25 % Skin Corr. 1B, H314 Aquatic Acute 1, H400	≥1-<2%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• **4.1 Description of first aid measures**

- **General information** Instantly remove any clothing soiled by the product.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**
 Rinse opened eye for several minutes under running water (at least 15 minutes).
 Remove contact lenses, if present and easy to do.
 Use eye protection.
 Call a doctor immediately.
- **After swallowing**
 Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; instantly call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed**
 No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Carbon monoxide
Nitrogen oxides (NO_x)
Sulphur oxides (SO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep containers tightly sealed.
No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:**
No special measures required.
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**
Do not store together with acids.
Do not store together with alkalis (caustic solutions).
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.

(Contd. on page 4)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

(Contd. of page 3)

- Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class**
LGK 12
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Do not eat, drink or smoke while working.
- **Breathing equipment:** Not required.
- **Protection of hands:**
Protective gloves.
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.
Only use chemical-protective gloves with CE-labelling of category III.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Synthetic gloves
Avoid natural rubber gloves.
- **As protection from splashes gloves made of the following materials are suitable:**
Synthetic gloves
Value for permeation: Level:
≥ 3 (60 min)
- **Eye protection:** Safety glasses
- **Body protection:** Light weight protective clothing

GB

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Colourless
	Clear
· Odour:	Characteristic

· **pH-value at 25 °C:** 5.3

· **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C

· **Flash point:** > 100 °C

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Critical values for explosion:**

Lower:	Not determined
Upper:	Not determined

· **Oxidising properties** None

· **Vapour pressure at 20 °C:** 23 hPa

· **Density at 20 °C** 1.29 g/cm³

· **Solubility in / Miscibility with Water:** miscible

· **Viscosity:**

dynamic:	Not determined
kinematic:	Not determined.

· **Solvent content:**

Organic solvents: 0.0 %

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions**

Reacts with acids, alkalis and oxidizing agents

Reacts with acids releasing sulphur dioxide

Reacts with alkalis releasing ammonia

· **10.4 Conditions to avoid** No further relevant information available.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

(Contd. of page 5)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Specific symptoms in biological assay:** Not determined
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** No known symptoms to date.
- **Additional toxicological information:**
This statement was deduced from the properties of the single components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Not determined
- **12.2 Persistence and degradability** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:** No further relevant information available.
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
At present there are no ecotoxicological assessments.
This statement was deduced from the properties of the single components.
Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

· **12.6 Other adverse effects** No further relevant information available.

(Contd. of page 6)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 05*	bleach solutions and bleach fixer solutions
-----------	---

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR/RID, ADN, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR/RID** Void

· **ADN, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR/RID, ADN, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **ADR/RID, IMDG, IATA** Void

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **UN "Model Regulation":**

Void

GB

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2019

Version 5

Revision: 07.01.2019

Trade name: CP-48S Process Box P-2B

(Contd. of page 7)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 65
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): weakly water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
- **Recommended restriction of use** No public product, only for commercial use
- **Department issuing data specification sheet:**
Laboratory
Tel.: +49 (0)39291 425-15
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- **Sources**
Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>
applicable EEC directives:
- 1907/2006
- 1272/2008
- *** Data compared to the previous version altered.**