

SINGLE PART CHEM
Bleachfix and Replenisher RA-4 BX-VR

Description:

- bleach fixing bath for the RA-4-process;
- variable replenishment rate depend on type of processor and production volume;
- one-part;



Technical Data:

Replenishment rate (ml / m ²)	Processing time (s)	Temperature (°C)
215 ^{*)}	45	35
108 ^{*)}	45	38



*Note the mix instruction.

Mix instruction:



preparation bleach fixing bath - replenisher:

Replenishment rate: 215 ml/m² Processing temperature: 35 °C		
Water (20-40 °C)	SINGLE PART CHEM RA-4 BX-VR (conc.)	
		
4,0 l	1,0 l	= 5,0 l
8,0 l	2,0 l	= 10,0 l
80 l	20 l	= 100,0 l

SINGLE PART CHEM
Bleachfix and Replenisher RA-4 BX-VR

Replenishment rate: 108 ml/m ² Processing temperature: 38 °C	
Water (20-40 °C)	SINGLE PART CHEM RA-4 BX-VR (conc.)
	
2,75 l	1,0 l = 3,75 l
5,5 l	2,0 l = 7,5 l
55 l	20 l = 75 l

preparation bleach fixing bath - working solution:

Water (20-40 °C)	SINGLE PART CHEM RA-4 BX-VR (conc.)
	
4,0 l	1,0 l = 5,0 l
8,0 l	2,0 l = 10,0 l
80 l	20 l = 100 l

SINGLE PART CHEM
Bleachfix and Replenisher RA-4 BX-VR

Assortment:

Order Number	Product Name	Mix Size for	Concentrate	Capacity (m ²)
16560	SINGLE PART CHEM RA-4 BX-VR	5 x 10 / 7,5 l	5 x 2,0 l	at 215 ml/m ² 232 at 108 ml/m ² 347
16561		1 x 100 / 75 l	1 x 20 l	at 215 ml/m ² 464 at 108 ml/m ² 694
16562		8 x 5 / 3,75 l	8 x 1,0 l	at 215 ml/m ² 186 at 108 ml/m ² 277