

**CP-48S Process Box**

**1. Description :**

- replacement cartridge for all Fuji Frontier® minilabs (Frontier® 330, 350, 355, 375, 390);
- compatible to Fuji chemistry
- no changes of processor parameters
- contains single part developer and bleach-fix part A and B

**2. Assortment :**

| Ref.-No. | Product name       | Contents     | Capacity ( m <sup>2</sup> ) |
|----------|--------------------|--------------|-----------------------------|
| 16725    | CP-48S Process Box | 2 cartridges | 2 x 111                     |

**3. Mixing of tank solution**




The following products are required for mixing of tank solutions.

|            | Ref.-No. | Product-name                  | required units          |
|------------|----------|-------------------------------|-------------------------|
| Developer  | 16620    | SPC RA-4 CD-FP<br>for 8 x 5 l | 1                       |
| Starter    | 16020    | RA-4 CD-S<br>1 l Conc.        | 1<br>(Frontier® 390: 3) |
| Bleach-fix | 16562    | SPC RA-4 BX-VR<br>for 8 x 5 l | 1<br>(Frontier® 390: 2) |

CP-48S Process Box



Preparation of fresh tank solution:

Developer P1

| Water   | Concentrate<br>SPC RA-4 CD-FP   | Starter conc.<br>RA-4 CD-S  |
|---|---|---|
|  |  |  |
| 850 ml  | 100 ml  | 50 ml = 1000 ml   |
| <b>FRONTIER® TYPE</b>   |   |   |
| 330: 8,0 l  | 940 ml  | 470 ml = 9,4 l  |
| 350: 10,8 l   | 1,27 l  | 635 ml = 12,7 l   |
| 370: 14,0 l   | 1,65 l  | 825 ml = 16,5 l   |
| 390: 47,2 l   | 5,55 l  | 2,78 l = 55,5 l   |
| 340: 6,0 l  | 710 ml  | 355 ml = 7,1 l  |
| 550/570: 9,4 l  | 1,1 l   | 550 ml = 11,0 l   |

## CP-48S Process Box

Bleach-fix P2

| Water<br>(20-40 °C)   | Concentrate   |
|---|---|
|  |  |
| 800 ml  | 200 ml = 1000 ml  |
| <b>FRONTIER® TYPE</b>   |   |
| 330: 7,6 l  | 1,9 l = 9,5 l   |
| 350: 10,16 l  | 2,54 l = 12,7 l   |
| 370: 13,2 l   | 3,3 l = 16,5 l  |
| 390: 43,6 l   | 10,9 l = 54,5 l   |
| 340: 5,84 l   | 1,46 l = 7,3 l  |
| 550/570: 8,8 l  | 2,2 l = 11,0 l  |