

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

• Article number: 10081

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- Application of the substance / the mixture Photochemicals Fixing agent for X-ray films Reserved for industrial and professional use.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Calbe Chemie GmbH Stadtfeld 31 D-39240 Calbe Tel.: +49 (0)39291 425-0 Fax: +49 (0)39291 425-25 e-mail: info@calbe-chemie.de www.calbe-chemie.de
- Informing department: Tel.: +49 (0)39291 42515 E-Mail: rs@calbe-chemie.de
- **1.4 Emergency telephone number:** Tel.: +49 (0) 700-24112112 (CAL)
- Tel.: +1 872 5888271(CAL)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

GB



Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

(Contd. of page 1)

· Dangerous components: Void

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Personal protection for the First Aider. Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- After skin contact

Instantly wash with water and soap and rinse thoroughly. The product is not skin irritating.

- After eye contact Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.
- After swallowing Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No known symptoms to date.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- \cdot 5.2 Special hazards arising from the substance or mixture
- Can be released in case of fire sulphur dioxide (SO2) Nitrogen oxides (NOx)
- 5.3 Advice for firefighters
- **Protective equipment:** Do not inhale explosion gases or combustion gases. Put on breathing apparatus.
- \cdot Additional information The product is not flammable

(Contd. on page 3)

GR

Page 2/8



Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required. The product is not flammable
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Keep away from foodstuffs, beverages and food.
- Further information about storage conditions: Store in a cool place.
- · Recommended storage temperature: 5-25 °C
- · Storage class
- LGK 12

(German Technical Rule for Hazardous Substance - TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical systems: No further data; see section 7.

· Components with limit values that require monitoring at the workplace:

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands:
- Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Page 3/8



Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

(Contd. of page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves Synthetic gloves

Avoid natural rubber gloves.

- Penetration time of glove material
- Value for permeation: Level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

• As protection from splashes gloves made of the following materials are suitable: Synthetic gloves Value for the permeation: Level:

≥ 3 (60 min)

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

9.1 Information on basic physical and chemical properties			
General Information			
Appearance:	- 1 · 1		
Form:	Fluid		
Colour: Odour:	Colourless		
	Nearly odourless		
pH-value at 25 ℃:	5.3		
Change in condition			
Melting point/freezing point:	< 5 ℃		
Initial boiling point and boiling	range: > 100 ℃		
Flash point:	Not applicable		
Self-inflammability:	Product is not selfigniting.		
Explosive properties:	Product is not explosive.		
Vapour pressure at 20 °C:	23 hPa		
Density at 20 °C	1.29 g/cm ³		
Solubility in / Miscibility with			
Water:	miscible		
Viscosity:			
dynamic:	Not determined		
kinematic:	Not determined		
Solvent content:			
Organic solvents:	0 %		
		(Contd. on page	

Page 4/8

Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

(Contd. of page 4)

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

۰.	ΛΙ	a	b۵	r	
	•	a	C		

~ 50 %

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids and alkali Reacts with acids releasing sulphur dioxide
- Reacts with alkalis releasing ammonia
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Sulphur dioxide
- Ammonia

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

LD/LC50 values that are relevant for classification.		
64-19-7 acetic acid		
Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1060 mg/kg (rabbit)
7783-18-8 ammonium thiosulphate		
Oral	LD50	1098 mg/kg (gpg)
		2890 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- This statement was deduced from the properties of the single components.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Page 5/8



Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity:
- 64-19-7 acetic acid
- LC50/96 h 75 mg/l (Lepomis macrochirus)
- · 12.2 Persistence and degradability Not determined
- · Behaviour in environmental systems: Not determined
- · 12.3 Bioaccumulative potential Not determined
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects: No further relevant information available.
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering. The product does not contain organically bounded halogens (AOX-free). At present there are no ecotoxicological assessments.

- This statement was deduced from the properties of the single components.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

- · Uncleaned packagings:
- · Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

(Contd. on page 7)

GB

Page 6/8

Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

(Contd. of page 6)

14 1 LINI Number	
14.1 UN-Number ADR/RID, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR/RID	Void
ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR/RID, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II	
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above
-	specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Decree to be applied in case of technical fault:

Class	Share in %
II	0.9

· Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB



Page 7/8



Printing date 21.06.2022

Version 3.2

Revision: 21.06.2022

Trade name: AUTOMATIC X-RAY FILM FIXER CONCENTRATE PART A

(Contd. of page 7)

GB

SECTION 16: Other information These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Recommended restriction of use No public product, only for commercial use · Department issuing data specification sheet: Laboratory Tel.: +49 (0)39291 425-15 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources applicable EEC directives: - 1907/2006 - 1272/2008 Internal physical tests, MSDS of the ingredients, Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

Page 8/8