

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.08.2017

Version 9

Revision: 16.08.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
· 1.1 Product identifier			
· Trade name: <u>Dentaroll Entwickler Teil 1</u>			
· Article number: 10090			
<ul> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.</li> </ul>			
<ul> <li>Application of the substance / the mixture Photochemicals Developer for X-ray films Reserved for industrial and professional use.</li> </ul>			
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Calbe Chemie GmbH Stadtfeld 31</li> <li>D-39240 Calbe</li> <li>Tel.: +49 (0)39291 425-0</li> <li>Fax: +49 (0)39291 425-25</li> <li>e-mail: info@calbe-chemie.de</li> <li>www.calbe-chemie.de</li> </ul>			
<ul> <li>Informing department: Tel.: +49 (0)39291 42515</li> <li>E-Mail: kr@calbe-chemie.de</li> <li>1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)</li> </ul>			
SECTION 2: Hazards identification			
<ul> <li>· 2.1 Classification of the substance or mixture</li> <li>· Classification according to Regulation (EC) No 1272/2008</li> </ul>			
GHS08 health hazard			
Muta. 2H341Suspected of causing genetic defects.Carc. 2H351Suspected of causing cancer.			
GHS05 corrosion			
Eye Dam. 1 H318 Causes serious eye damage.			
GHS09 environment			
Aquatic Acute 1 H400 Very toxic to aquatic life.			
GHS07			
Skin Sens. 1 H317 May cause an allergic skin reaction.			
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)</li> </ul>			



Printing date 16.08.2017

Version 9

Revision: 16.08.2017

Trade name: Dentaroll Entwickler Teil 1

(Contd. of page 1) · Hazard pictograms GHS05 GHS07 GHS08 GHS09 · Signal word Danger · Hazard-determining components of labelling: hydroquinone · Hazard statements H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. · Precautionary statements P273 Avoid release to the environment. P280 Wear protective gloves / eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

CAS: 123-31-9	hydroquinone	5-10%
EINECS: 204-617-8 Index number: 604-005-00-4	Acute Tox. 3, H311 Muta. 2, H341; Carc. 2, H351	
Reg.nr.: 01-2119524016-51-xxxx		
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21-xxxx	2,2'-oxybisethanol Acute Tox. 4, H302	5-10%
CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36-xxxx	potassium carbonate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2-5%



Page 3/11

Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 1

		(Contd. of page 2)
CAS: 10043-35-3 EINECS: 233-139-2		2-5%
Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-xxxx	Repr. 1B, H360FD	
CAS: 139-89-9 EINECS: 205-381-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt, solution	0.5-2%
	<ul> <li>Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> </ul>	
CAS: 6381-77-7	sodium isoascorbate	0.5-2%
EINECS: 228-973-9 Reg.nr.: 01-2120009701-69-xxxx	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3- one	≥0.1-≤0.25%
	Aquatic Chronic 2, H411 Acute Tox. 4, H302; Skin Sens. 1, H317	
· SVHC		
10043-35-3 boric acid		

· Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures
 • General information
 Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

- · After inhalation Supply fresh air.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

#### · After eye contact

Rinse opened eye for several minutes under running water (at least 15 minutes). Remove contact lenses, if present and easy to do. Use eye protection. Call a doctor immediately.

After swallowing

Rinse out mouth and then drink plenty of water. Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

(Contd. on page 4)

<sup>-</sup> GB ·



Printing date 16.08.2017

Version 9

Revision: 16.08.2017

Trade name: Dentaroll Entwickler Teil 1

(Contd. of page 3)

GB

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- $\cdot$  5.2 Special hazards arising from the substance or mixture

Can be released in case of fire Carbon monoxide sulphur dioxide (SO2)

· 5.3 Advice for firefighters

 Protective equipment: Do not inhale explosion gases or combustion gases. At formation of toxic gases: Put on breathing apparatus.

· Additional information The product is not flammable

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in

small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

**6.4 Reference to other sections** See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Do not handle until all safety precautions have been read and understood. · Information about protection against explosions and fires: No special measures required. The product is not flammable · 7.2 Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and containers: Store only in unopened original containers. Keep container tightly closed in a cool, well-ventilated place. · Information about storage in one common storage facility: Keep away from foodstuffs, beverages and food. Do not store together with acids. Store away from oxidising agents. · Further information about storage conditions: Protect from heat and direct sunlight. Store in a cool place. · Recommended storage temperature: 5-25 ℃ · Storage class LGK 12 (German Technical Rule for Hazardous Substance – TRGS 510) (Contd. on page 5)





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

(Contd. of page 4)

#### Trade name: Dentaroll Entwickler Teil 1

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical systems: No further data; see section 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

123-31-9 hydroquinone

WEL Long-term value: 0.5 mg/m<sup>3</sup>

#### 111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m<sup>3</sup>, 23 ppm

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures should be adhered to general rules for handling chemicals. Keep away from foodstuffs, beverages and food.

Do not eat, drink or smoke while working.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

### · Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

U	Thickness	Breakthrough time
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480
Avoid natural ru	ubber gloves.	

• As protection from splashes gloves made of the following materials are suitable: Synthetic gloves

Value for permeation: Level:

 $\geq$  3 (60 min)

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

(Contd. on page 6)



Printing date 16.08.2017

Version 9

Revision: 16.08.2017

(Contd. of page 5)

Trade name: Dentaroll Entwickler Teil 1

**SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Colour: Light yellow · Odour: Nearly odourless · Odour threshold: Not determined. · pH-value at 25℃: 11,5 · Change in condition Melting point/freezing point: Not determined Initial boiling point and boiling range: > 100 °C · Flash point: Not applicable · Ignition temperature: **Decomposition temperature:** Not determined. · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. · Critical values for explosion: Lower: Not determined. Upper: Not determined. · Vapour pressure at 20 °C: 23hPa · Density at 20 ℃ 1,32g/cm<sup>3</sup> Relative density Not determined. · Vapour density Not determined. Evaporation rate Not determined. · Solubility in / Miscibility with Water: miscible · Partition coefficient: n-octanol/water: Not determined. · Viscosity: dynamic: Not determined. kinematic: Not determined. · Solvent content: Water: ~ 60% · 9.2 Other information No further relevant information available.

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known

(Contd. on page 7)

GB



Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 1

Reacts with acids releasing sulphur dioxide

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values the	hat are relevant fo	r classification:
----------------------	---------------------	-------------------

#### 123-31-9 hydroquinone

LD50 320 mg/kg (rat) Oral

Dermal LD50 > 900 mg/kg (rat)

111-46-6 2,2'-oxybisethanol

LD50 12565 mg/kg (rat) Oral

Dermal LD50 11890 mg/kg (rabbit)

584-08-7 potassium carbonate

Oral |LD50| > 2000 mg/kg (rat)

#### 10043-35-3 boric acid

LD50 2660 mg/kg (rat) Oral

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

Oral LD50 565 mg/kg (rat)

Dermal LD50 > 2000 mg/kg (rat)

### · Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Additional toxicological information:

At present there are no animal experimental data.

- This statement was deduced from the properties of the single components.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity
- Suspected of causing genetic defects.
- · Carcinogenicity
- Suspected of causing cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)

(Contd. of page 6)





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

Trade name: Dentaroll Entwickler Teil 1

(Contd. of page 7)

- · 12.1 Toxicity
- Aquatic toxicity:

## 123-31-9 hydroquinone

- IC50 72 h 0.335 mg/l (Selenastrum capricornutum)
- LC50 96 h 0.044 mg/l (Pimephales promelas)

LOC50 48 h 0.29 mg/l (Daphnia magna)

#### 111-46-6 2,2'-oxybisethanol

EC50/48 h > 10000 mg/l (Daphnia magna)

LC50/96 h 75200 mg/l (Pimephales promelas)

584-08-7 potassium carbonate

LC50/96 h 310-750 mg/l (Pimephales promelas)

#### 10043-35-3 boric acid

EC50/48 h 133 mg/l (Daphnia magna)

- LC50/96 h 50 100 mg/l (Onchrohynchus mykiss)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · Behaviour in environmental systems: Not determined
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects: No further relevant information available.
- · Behaviour in sewage processing plants: Not determined

#### · Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

## 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

- · Uncleaned packagings:
- Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

(Contd. on page 9)

<sup>-</sup> GB





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 1

(Contd. of page 8) Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
•	
· 14.1 UN-Number · ADR/RID, IMDG, IATA	UN 3082
<ul> <li>14.2 UN proper shipping name</li> <li>ADR/RID, IMDG, IATA</li> </ul>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)
· 14.3 Transport hazard class(es)	
· ADR/RID, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
<ul> <li>14.4 Packing group</li> <li>ADR/RID, IMDG, IATA</li> </ul>	III
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> <li>· Special marking (ADR/RID):</li> </ul>	Environmentally hazardous substance, liquid Yes Symbol (fish and tree) Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
<ul> <li>Kemler Number:</li> <li>EMS Number:</li> </ul>	90 F-A,S-F
<ul> <li>14.7 Transport in bulk according to Ann of Marpol and the IBC Code</li> </ul>	Not applicable.
• Transport/Additional information:	These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes.
· ADR/RID	Goods are not subject to the provisions in accordance with the special provision 375 ADR.
	(Contd. on page 10



Printing date 16.08.2017

Version 9

Revision: 16.08.2017

### Trade name: Dentaroll Entwickler Teil 1

	(Contd. of page 9)
·IMDG	Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.
·IATA	Goods are not subject to the provisions in accordance with the special provision A197 IATA-DGR.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDROQUINONE), 9, III

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- Seveso category E1 Hazardous to the Aquatic Environment
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30

· National regulations

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Class	Share in %
I	6.1
NK	5.1
	0.1

• Water hazard class: Water danger class 3 (Self-assessment): highly water-endangering.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

### · Relevant phrases

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 11)





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

### Trade name: Dentaroll Entwickler Teil 1





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

· 1.1 Product identifier
· Trade name: Dentaroll Entwickler Teil 2
· Article number: 10090
<ul> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.</li> </ul>
<ul> <li>Application of the substance / the mixture Photochemicals Developer for X-ray films Reserved for industrial and professional use.</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Calbe Chemie GmbH Stadtfeld 31</li> <li>D-39240 Calbe</li> <li>Tel.: +49 (0)39291 425-0</li> <li>Fax: +49 (0)39291 425-25</li> <li>e-mail: info@calbe-chemie.de</li> <li>www.calbe-chemie.de</li> </ul>
<ul> <li>Informing department: Tel.: +49 (0)39291 42515</li> <li>E-Mail: kr@calbe-chemie.de</li> <li>1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)</li> </ul>
SECTION 2: Hazards identification
<ul> <li>· 2.1 Classification of the substance or mixture</li> <li>· Classification according to Regulation (EC) No 1272/2008</li> </ul>
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
<ul> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.</li> </ul>
<ul> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms</li> <li>GHS07</li> </ul>
<ul> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms</li> </ul>



Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 2

(Contd. of page 1)

#### · Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### Precautionary statements

P280 Wear protective gloves / eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

#### · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 64-19-7	acetic acid	15-20%
EINECS: 200-580-7	🚸 Flam. Liq. 3, H226	
Index number: 607-002-00-6	\delta Skin Corr. 1A, H314	
Reg.nr.: 01-2119475328-30-xxxx	1 Acute Tox. 4, H312	
CAS: 92-43-3	1-phenyl-3-pyrazolidone	0.5-2%
EINECS: 202-155-1	Aquatic Chronic 2, H411	
Index number: 606-022-00-2	🚯 Acute Tox. 4, H302	
Reg.nr.: 01-2120118765-53-xxxx		

· Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information

Personal protection for the First Aider. Instantly remove any clothing soiled by the product.

- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

• After swallowing

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting; instantly call for medical help.
- 4.2 Most important symptoms and effects, both acute and delayed No known symptoms to date.

(Contd. on page 3)

GB -





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 2

#### (Contd. of page 2) • **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
   Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- Can be released in case of fire Carbon monoxide
- 5.3 Advice for firefighters

## · Protective equipment:

Do not inhale explosion gases or combustion gases. At formation of toxic gases: Put on breathing apparatus.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Ensure adequate ventilation.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

No special precautions necessary if used correctly. Absorb spillage to prevent material damage.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

· Requirements to be met by storerooms and containers: Store only in the original container.

- **Information about storage in one common storage facility:** Keep away from foodstuffs, beverages and food.
- Further information about storage conditions: Keep container tightly sealed.
- Store in a cool place.
- · Recommended storage temperature: 5-25 ℃
- · Storage class LGK 12

(Contd. on page 4)





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

(Contd. of page 3)

#### Trade name: Dentaroll Entwickler Teil 2

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical systems: No further data; see section 7.

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals. Keep away from foodstuffs, beverages and food.

Do not eat, drink or smoke while working.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

#### · Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

-	Thickness	Breakthrough time
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480
Avoid natural r	ubber gloves.	

• As protection from splashes gloves made of the following materials are suitable: Synthetic gloves

Value for permeation: Level:

- ≥ 3 (60 min)
- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance: Form:

Fluid

(Contd. on page 5)

GB



#### Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 2

	(Contd. of page 4
Colour: · Odour:	Light yellow Acidic
· pH-value at 25 ℃:	2,3
<ul> <li>Change in condition</li> <li>Melting point/freezing point: Initial boiling point and boiling</li> </ul>	Not determined range: > 100 ℃
· Flash point:	> 70 ℃
· Ignition temperature:	345℃
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
<ul> <li>Critical values for explosion: Lower: Upper:</li> </ul>	Not determined. Not determined.
· Vapour pressure at 20 °C:	23hPa
· Density at 20 ℃	1,103g/cm <sup>3</sup>
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	miscible
<ul> <li>Viscosity:</li> <li>dynamic:</li> <li>kinematic:</li> </ul>	Not determined Not determined
· 9.2 Other information	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

- Acute toxicity
- Harmful if swallowed.
- · LD/LC50 values that are relevant for classification:

## 111-46-6 2,2'-oxybisethanol

Oral LD50 12565 mg/kg (rat)

Dermal LD50 11890 mg/kg (rabbit)

(Contd. on page 6)

<sup>—</sup> GB





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

#### Trade name: Dentaroll Entwickler Teil 2

(Contd. of page 5)

		(Conto. of page
64-19-7	acetic	acid
Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1060 mg/kg (rabbit)
107-21-	1 etha	ne-1,2-diol
Oral	LD50	4700 mg/kg (rat)
Dermal	LD50	9530 mg/kg (rabbit)
92-43-3	1-phe	nyl-3-pyrazolidone
Oral	LD50	200 mg/kg (rat)
<ul> <li>Respira</li> <li>Subacu</li> </ul>	tory o te to c	s eye irritation. <b>r skin sensitisation</b> Based on available data, the classification criteria are not met. <b>hronic toxicity:</b> No known symptoms to date. <b>carcinogenity, mutagenicity and toxicity for reproduction)</b>
		ptoms to date.
		tagenicity Based on available data, the classification criteria are not met.
	•	ity Based on available data, the classification criteria are not met.
		toxicity Based on available data, the classification criteria are not met.
	•	exposure Based on available data, the classification criteria are not met.
		d exposure Based on available data, the classification criteria are not met.
Aspirali	on na	zard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxici	•	
· Aquatic to:	2'-oxybisethanol	
-	> 10000 mg/l (Daphnia magna)	
	75200 mg/l (Pimephales promelas)	
64-19-7 ac		
EC50/ 24 h	47-95 mg/l (Daphnia magna)	
LC50/48 h	408-410 mg/l (Leuciscus idus)	
107-21-1 et	hane-1,2-diol	
EC50/48 h	> 10000 mg/l (Daphnia magna)	
LC50/96 h	75200 mg/l (Pimephales promelas)	
	stence and degradability Not determined cumulative potential Not determined	
	in environmental systems: Not determined ity in soil No further relevant information available.	
· Ecotoxical	effects: No further relevant information available.	
· Behaviour	in sewage processing plants: Not determined	(Contd. on page 7)

– GB





Printing date 16.08.2017

Version 9

Revision: 16.08.2017

### Trade name: Dentaroll Entwickler Teil 2

(Contd. of page 6)

#### · Additional ecological information:

#### · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

#### · European waste catalogue

09 01 01\* water-based developer and activator solutions

- · Uncleaned packagings:
- · Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport informatio	n	
· 14.1 UN-Number · ADR/RID, IMDG, IATA	UN 2790	
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR/RID, IMDG, IATA</li> </ul>	ACETIC ACID SOLUTION	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR/RID, IMDG, IATA		
· Class	8 Corrosive substances.	
· Label	8	
<ul> <li>14.4 Packing group</li> <li>ADR/RID, IMDG, IATA</li> </ul>	111	
		(Contd. on page 8)



Page 8/9

#### Printing date 16.08.2017

Version 9

Revision: 16.08.2017

### Trade name: Dentaroll Entwickler Teil 2

	(Contd. of page 7
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> <li>Kemler Number:</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul>	Warning: Corrosive substances. 80 F-A,S-B 1 - Acids
<ul> <li>14.7 Transport in bulk according to An of Marpol and the IBC Code</li> </ul>	nex II Not applicable.
· Transport/Additional information:	
<ul> <li>ADR/RID</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>Remarks:</li> </ul>	5 I 3 E "Limited quantity" according to chapter 3.4 ADR
· IMDG · Remarks:	"Limited quantity" according to chapter 3.4 IMDG
· IATA · Remarks:	Packing Instruction PAX 852, CAO 856
· UN "Model Regulation":	UN 2790 ACETIC ACID SOLUTION, 8, III

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

## National regulations

Class	Share in %
II	19.1

• Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## **Relevant phrases**

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 9)

GB





Version 9

Revision: 16.08.2017

## Trade name: Dentaroll Entwickler Teil 2

Printing date 16.08.2017

(Contd. of pa	je {
<ul> <li>Recommended restriction of use No public product, only for commercial use</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>The classification of the mixture is generally based on the calculation method using substance d according to Regulation (EC) No 1272/2008.</li> </ul>	ata
<ul> <li>Department issuing data specification sheet: Laboratory</li> <li>Tel.: +49 (0)39291 425-15</li> <li>Abbreviations and acronyms:</li> <li>RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</li> <li>IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)</li> <li>ICAC: International Civil Aviation Organisation</li> <li>ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)</li> <li>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Air Transport Association</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European List of Notified Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LOSO: Lethal concentration, 50 percent</li> <li>DPT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Flam. Liq. 3: Flammable liquids – Category 1</li> <li>Skin Corr. 1A: Skin corrosion/irritation – Category 1</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 2</li> <li>Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2</li> </ul>	Ð
Sources applicable EEC directives: - 1907/2006 - 1272/2008 Internal physical tests, MSDS of the ingredients, Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp	
* Data compared to the previous version altered.	(



Printing date 16.08.2017

Version 8

Revision: 16.08.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
Trade name: <u>Dentaroll Fixierer Teil 1</u>
· Article number: 10090
<ul> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.</li> </ul>
<ul> <li>Application of the substance / the mixture Photochemicals Fixing agent for X-ray films Reserved for industrial and professional use.</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Calbe Chemie GmbH Stadtfeld 31 D-39240 Calbe Tel.: +49 (0)39291 425-0 Fax: +49 (0)39291 425-25 e-mail: info@calbe-chemie.de www.calbe-chemie.de</li> </ul>
<ul> <li>Informing department: Tel.: +49 (0)39291 42515</li> <li>E-Mail: kr@calbe-chemie.de</li> <li>1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)</li> </ul>
SECTION 2: Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 Void</li> <li>Hazard pictograms Void</li> <li>Signal word Void</li> <li>Hazard statements Void</li> <li>Additional information: EUH210 Safety data sheet available on request.</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>
SECTION 3: Composition/information on ingredients
SECTION 3: Composition/information on ingredients     · 3.2 Mixtures     · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components: Void

(Contd. on page 2)

<sup>-</sup> GB





Printing date 16.08.2017

Version 8

Revision: 16.08.2017

#### Trade name: Dentaroll Fixierer Teil 1

(Contd. of page 1)

· Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information

Personal protection for the First Aider. Instantly remove any clothing soiled by the product.

- · After inhalation Supply fresh air.
- After skin contact Instantly wash with water and soap and rinse thoroughly. The product is not skin irritating.
- After eye contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture Can be released in case of fire sulphur dioxide (SO2)
- Nitrogen oxides (NOx) • 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases. Put on breathing apparatus.

· Additional information The product is not flammable

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

(Contd. on page 3)

\_\_\_\_\_ GB



Version 8

Revision: 16.08.2017

(Contd. of page 2)

Trade name: Dentaroll Fixierer Teil 1

Printing date 16.08.2017

### · 6.4 Reference to other sections

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires:
- No special measures required.
- The product is not flammable
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Keep away from foodstuffs, beverages and food.
- Further information about storage conditions: Store in a cool place.
- · Recommended storage temperature: 5-25 °C
- Storage class
- LGK 12

(German Technical Rule for Hazardous Substance - TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:
- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands:
- Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Synthetic gloves

Avoid natural rubber gloves.

· Penetration time of glove material

Value for permeation: Level  $\leq$  6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

• As protection from splashes gloves made of the following materials are suitable: Synthetic gloves

(Contd. on page 4)

ĠВ



## according to 1907/2006/EC, Article 31

Printing date 16.08.2017

Version 8

Revision: 16.08.2017

(Contd. of page 3)

#### Trade name: Dentaroll Fixierer Teil 1

Value for permeation: Level:

≥ 3 (60 min)

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and che	mical properties
• 9.1 Information on basic physica	I and chemical properties
<ul> <li>General Information</li> <li>Appearance:</li> </ul>	
Form:	Fluid
Colour:	Colourless
· Odour:	Nearly odourless
· pH-value at 25℃:	5,3
· Change in condition	
Melting point/freezing point:	< 5 °C
Initial boiling point and boiling	range: > 100 °C
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Vapour pressure at 20 °C:	23hPa
· Density at 20 ℃	1,29g/cm <sup>3</sup>
· Solubility in / Miscibility with	
Water:	miscible
· Viscosity:	
dynamic:	Not determined
kinematic:	Not determined
· Solvent content:	
Organic solvents:	0%
Water:	~ 50%
· 9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids and alkali

Reacts with acids releasing sulphur dioxide

- Reacts with alkalis releasing ammonia
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)



GB



Printing date 16.08.2017

Version 8

Revision: 16.08.2017

(Contd. of page 4)

#### Trade name: Dentaroll Fixierer Teil 1

## · 10.6 Hazardous decomposition products:

Sulphur dioxide Ammonia

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

64-19	-7 acetic acid

Oral LD50 3310 mg/kg (rat)

Dermal LD50 1060 mg/kg (rabbit)

## 7783-18-8 ammonium thiosulphate

Oral LD50 1098 mg/kg (gpg)

2890 mg/kg (rat)

· Primary irritant effect:

· Skin corrosion/irritation

· Serious eye damage/irritation

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: No known symptoms to date.

· Additional toxicological information:

- This statement was deduced from the properties of the single components.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- $\cdot$  Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

64-19-7 acetic acid

LC50/96 h 75 mg/l (Lepomis macrochirus)

· 12.2 Persistence and degradability Not determined

- 12.3 Bioaccumulative potential Not determined
- · Behaviour in environmental systems: Not determined
- $\cdot$  12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects: No further relevant information available.
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:

## · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.



Version 8

Revision: 16.08.2017

(Contd. of page 5)

## Trade name: Dentaroll Fixierer Teil 1

Printing date 16.08.2017

The product does not contain organically bounded halogens (AOX-free). At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

## 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

## · European waste catalogue

09 01 04\* fixer solutions

## · Uncleaned packagings:

#### · Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

## **SECTION 14: Transport information**

· 14.1 UN-Number · ADR/RID, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name • ADR/RID • ADN, IMDG, IATA	Void Void
· 14.3 Transport hazard class(es)	Volu
· ADR/RID, ADN, IMDG, IATA · Class	Void
<ul> <li>14.4 Packing group</li> <li>ADR/RID, IMDG, IATA</li> </ul>	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Transport in bulk according to Anno of Marpol and the IBC Code</li> </ul>	ex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
	(Contd. on page 7

GB

#### Page 7/7

Safety data sheet

according to 1907/2006/EC, Article 31 Version 8

Printing date 16.08.2017

#### Trade name: Dentaroll Fixierer Teil 1

· UN "Model Regulation":

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 65
- · National regulations

Class | Share in % Ш 0.9

· Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Recommended restriction of use No public product, only for commercial use

Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet: Laboratory Tel.: +49 (0)39291 425-15 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources applicable EEC directives: - 1907/2006 - 1272/2008 Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

• \* Data compared to the previous version altered.

Revision: 16.08.2017



(Contd. of page 6)



Printing date 16.08.2017

Version 8

Revision: 16.08.2017

SECTION 1: Identification of the substance/mixture and	for the company/undertaking
· 1.1 Product identifier	
<ul> <li>Trade name: <u>Dentaroll Fixierer Teil 2</u></li> </ul>	
· Article number: 10090	
• <b>1.2 Relevant identified uses of the substance or mixture and</b> To this day we do not have any information about the identified us available we will add these to the safety data sheet.	
<ul> <li>Application of the substance / the mixture Photochemicals</li> <li>Fixing agent for X-ray films</li> <li>Reserved for industrial and professional use.</li> </ul>	
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Calbe Chemie GmbH Stadtfeld 31</li> <li>D-39240 Calbe</li> <li>Tel.: +49 (0)39291 425-0</li> <li>Fax: +49 (0)39291 425-25</li> <li>e-mail: info@calbe-chemie.de</li> <li>www.calbe-chemie.de</li> </ul>	
• Informing department: Tel.: +49 (0)39291 42515 E-Mail: kr@calbe-chemie.de	
• 1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)	
SECTION 2: Hazards identification	
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture	
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008	
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • GHS05 corrosion Met. Corr.1 H290 May be corrosive to metals.	tion.
<ul> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS05 corrosion</li> <li>Met. Corr.1 H290 May be corrosive to metals. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation</li> </ul>	tion.
SECTION 2: Hazards identification         • 2.1 Classification of the substance or mixture         • Classification according to Regulation (EC) No 1272/2008	tion.
<ul> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS05 corrosion</li> <li>Met. Corr.1 H290 May be corrosive to metals.</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The product is classified and labelled according to the CLP regulation</li> </ul>	tion.
SECTION 2: Hazards identification         • 2.1 Classification of the substance or mixture         • Classification according to Regulation (EC) No 1272/2008	tion.
SECTION 2: Hazards identification         SECTION 2: Hazards identification         • 2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         • GHS05 corrosion         Met. Corr.1 H290 May be corrosive to metals.         Eye Dam. 1 H318 Causes serious eye damage.         • 2.2 Label elements         Labelling according to Regulation (EC) No 1272/2008         The product is classified and labelled according to the CLP regula         Hazard pictograms	tion.
<ul> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS05 corrosion</li> <li>Met. Corr.1 H290 May be corrosive to metals. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation</li> <li>Hazard pictograms</li> <li>GHS05</li> <li>Signal word Danger</li> </ul>	tion.
<ul> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS05 corrosion</li> <li>Met. Corr.1 H290 May be corrosive to metals. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regula</li> <li>Hazard pictograms</li> <li>GHS05</li> <li>Signal word Danger</li> <li>Hazard-determining components of labelling: aluminium sulphate</li> </ul>	tion.



Printing date 16.08.2017

Version 8

Revision: 16.08.2017

### Trade name: Dentaroll Fixierer Teil 2

(Contd. of page 1)

<ul> <li>Precautionary</li> </ul>	statements
P280	Wear eve protection / fa

face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- P390 Absorb spillage to prevent material damage.
- P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:		
CAS: 10043-01-3	aluminium sulphate	15-20%
EINECS: 233-135-0	🚸 Eye Dam. 1, H318	
Reg.nr.: 01-2119531538-36-xxxx		
CAS: 7664-93-9	sulphuric acid	2-5%
EINECS: 231-639-5	🔗 Skin Corr. 1A, H314	
Index number: 016-020-00-8		
Reg.nr.: 01-2119458838-20-xxxx		
01-2119969649-13-xxxx		

· Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

#### General information

Personal protection for the First Aider. Instantly remove any clothing soiled by the product.

· After inhalation Supply fresh air.

#### · After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.
- · After swallowing Rinse out mouth and then drink plenty of water. Do not induce vomiting; instantly call for medical help. · 4.2 Most important symptoms and effects, both acute and delayed
- No known symptoms to date.

(Contd. on page 3)

GB





Printing date 16.08.2017

Version 8

Revision: 16.08.2017

#### Trade name: Dentaroll Fixierer Teil 2

#### (Contd. of page 2) • **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture** Can be released in case of fire Sulphur oxides (SOx)

· 5.3 Advice for firefighters

- Protective equipment: Do not inhale explosion gases or combustion gases. At formation of toxic gases: Put on breathing apparatus.
- · Additional information The product is not flammable

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.
- 6.4 Reference to other sections
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Keep containers tightly sealed.
   Absorb spillage to prevent material damage.
   Information about protection against explosions and fires: No special measures required.
- The product is not flammable
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).

Keep away from foodstuffs, beverages and food.

· Further information about storage conditions: Store in a cool place.

· Recommended storage temperature: 5-25 °C

(Contd. on page 4)

#### — GB



### according to 1907/2006/EC, Article 31

Printing date 16.08.2017

Version 8

Revision: 16.08.2017

#### Trade name: Dentaroll Fixierer Teil 2

#### · Storage class

LGK 12

(German Technical Rule for Hazardous Substance – TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical systems: No further data; see section 7.

#### · 8.1 Control parameters

#### · Components with limit values that require monitoring at the workplace:

10043-01-3 aluminium sulphate

WEL Long-term value: 2 mg/m<sup>3</sup>

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals. Keep away from foodstuffs, beverages and food.

Do not eat, drink or smoke while working.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

#### · Breathing equipment: Not required.

#### · Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

-	Thickness	Breakthrough time
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480
Avoid natural r	ubber gloves.	

• As protection from splashes gloves made of the following materials are suitable: Synthetic gloves Value for permeation: Level:

 $\geq$  3 (60 min)

· Eye protection: Safety glasses

• **Body protection:** Protective work clothing.

GB



(Contd. of page 3)



Printing date 16.08.2017

Version 8

Revision: 16.08.2017

Trade name: Dentaroll Fixierer Teil 2

(Contd. of page 4)

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· Odour:	Odourless	
· pH-value at 25 ℃:	< 1	
Change in condition		
Melting point/freezing point:	< 5℃	
Initial boiling point and boiling ra	<b>nge:</b> > 100 ℃	
· Flash point:	Not applicable	
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
<ul> <li>Vapour pressure at 20 °C:</li> </ul>	23hPa	
Density at 25 ℃	1,127g/cm <sup>3</sup>	
· Solubility in / Miscibility with		
Water:	miscible	
· Viscosity:		
dynamic:	Not determined	
kinematic:	Not determined	
· 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with light alloys to form hydrogen
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: No known symptoms to date.

(Contd. on page 6)





Version 8

Revision: 16.08.2017

#### Trade name: Dentaroll Fixierer Teil 2

Printing date 16.08.2017

(Contd. of page 5)

· Additional toxicological information:

This statement was deduced from the properties of the single components.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Not determined
- 12.2 Persistence and degradability Not determined
- · 12.3 Bioaccumulative potential Not determined
- · Behaviour in environmental systems: Not determined
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects: Not determined
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering. The product does not contain organically bounded halogens (AOX-free).

- At present there are no ecotoxicological assessments.
- This statement was deduced from the properties of the single components.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Must be specially treated under adherence to official regulations.
- · European waste catalogue
- 09 01 04\* fixer solutions
- · Uncleaned packagings:
- · Recommendation:
  - Non contaminated packagings can be used for recycling.
- Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

(Contd. on page 7)

ĠВ



Printing date 16.08.2017

Version 8

Revision: 16.08.2017

Trade name: Dentaroll Fixierer Teil 2

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	n
14.1 UN-Number	
ADR/RID, IMDG, IATA	UN 3264
14.2 UN proper shipping name	
ADR/RID, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC,
	N.O.S. (SULPHURIC ACID)
14.3 Transport hazard class(es)	
ADR/RID, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR/RID, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B
14.7 Transport in bulk according to An	
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR/RID	
Limited quantities (LQ)	51
Transport category	3
Tunnel restriction code	E
Remarks:	"Limited quantity" according to chapter 3.4 ADR
IMDG	
Remarks:	"Limited quantity" according to chapter 3.4 IMDG
ΙΑΤΑ	
Remarks:	Packing Instruction
	PAX 852, CAO 856
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC,
	INORGANIC, N.O.S. (SULPHURIC ACID), 8, III

(Contd. on page 8)

(Contd. of page 6)







Printing date 16.08.2017

Version 8

Revision: 16.08.2017

#### Trade name: Dentaroll Fixierer Teil 2

(Contd. of page 7)

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

- Recommended restriction of use No public product, only for commercial use
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet:

Laboratory

Tel.: +49 (0)39291 425-15

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative
- Met. Corr.1: Corrosive to metals Category 1
- Skin Corr. 1A: Skin corrosion/irritation Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- · Sources

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance

(GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

## $\cdot$ \* Data compared to the previous version altered.