



Printing date 15.11.2017 Version 8 Revision: 15.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: Dentamat 3000 Teil A

· Article number: 10096

• 1.2 Relevant identified uses of the substance or mixture and uses advised against
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

· Application of the substance / the mixture

Photochemicals

Developer for X-ray films

Reserved for industrial and professional use.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Calbe Chemie GmbH

Stadtfeld 31 D-39240 Calbe

Tel.: +49 (0)39291 425-0 Fax: +49 (0)39291 425-25 e-mail: info@calbe-chemie.de

www.calbe-chemie.de

· Informing department: Tel.: +49 (0)39291 42515 E-Mail: kr@calbe-chemie.de

· 1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS05 GHS07 GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

hydroquinone

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

Precautionary statements

P273 Avoid release to the environment.

Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of the substances listed below with harmless additions.

۱ - [Dang	erous	comp	onents:
-------	------	-------	------	---------

CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx hydroquinone

Acute Tox. 3, H311

Muta. 2, H341; Carc. 2, H351

贅 Eye Dam. 1, H318

Aquatic Acute 1, H400 (M=10)

Acute Tox. 4, H302; Skin Sens. 1, H317

(Contd. on page 3)

≥2.5-≤5%



Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

		(Contd. of page 2)
CAS: 1330-43-4	disodium tetraborate, anhydrous	≥2-≤4.5%
EINECS: 215-540-4		
Index number: 005-011-00-4 Reg.nr.: 01-2119490790-32-xxxx		
CAS: 1310-58-3	potassium hydroxide	0.5-2%
EINECS: 215-181-3	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-xxxx	Acute Tox. 4, H302	
CAS: 13047-13-7	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-	≥0.25-<0.5%
EINECS: 235-920-3	one	
	Aquatic Chronic 2, H411 Acute Tox. 4, H302; Skin Sens. 1, H317	
· SVHC		

1330-43-4 disodium tetraborate, anhydrous

· Additional information

Main component: water

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (at least 15 minutes).

Remove contact lenses, if present and easy to do.

Use eye protection.

Call a doctor immediately.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture Can be released in case of fire

(Contd. on page 4)



Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 3)

Sulphur oxides (SOx) Carbon monoxide

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

At formation of toxic gases:

Put on breathing apparatus.

· Additional information The product is not flammable

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Do not handle until all safety precautions have been read and understood.

Information about protection against explosions and fires:

No special measures required.

The product is not flammable

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Store only in unopened original containers.

Keep container tightly closed in a cool, well-ventilated place.

· Information about storage in one common storage facility:

Keep away from foodstuffs, beverages and food.

Do not store together with acids.

Store away from oxidising agents.

· Further information about storage conditions:

Protect from heat and direct sunlight.

Store in a cool place.

- Recommended storage temperature: 5-25 ℃
- · Storage class

LGK 12

(German Technical Rule for Hazardous Substance – TRGS 510)

· 7.3 Specific end use(s) No further relevant information available.

GB





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:			
123-31-9 hydroquinone			
WEL Long-term value: 0.5 mg/m ³			
1330-43-4 disodium tetraborate, anhydrous			
WEL Long-term value: 1 mg/m³			
1310-58-3 potassium hydroxide			
WEL Short-term value: 2 mg/m³			

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Thickness Breakthrough time

 (mm)
 (min)

 Nitril rubber
 0,38
 > 480

 Neoprene
 0,65
 > 240

 Butyl rubber
 0,36
 > 480

Avoid natural rubber gloves.

· As protection from splashes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

 \geq 3 (60 min)

· Eye protection: Safety glasses

· Body protection: Protective work clothing.





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 5)

SECTION 9: Physical and che	mical properties
· 9.1 Information on basic physica · General Information	I and chemical properties
· Appearance:	
Form:	Fluid
Colour:	Light yellow
Odavis	Clear
· Odour:	Not characteristic
· pH-value at 25 °C:	11,1
· Change in condition	
Melting point/freezing point:	< 5 ℃
Initial boiling point and boiling	range: > 100 ℃
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Critical values for explosion:	
Oxidising properties	None
· Vapour pressure at 20 ℃:	23 hPa
· Density at 20 ℃	1,29 g/cm³
· Solubility in / Miscibility with	
Water:	miscible
· Viscosity:	
dynamic:	Not determined
kinematic:	Not determined
· Solvent content:	
Organic solvents:	0 %
Water:	~ 65 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents

Reacts with acids releasing sulphur dioxide

- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values that are relevant for classification:				
123-31-9 hydroquinone					
Oral	LD50	320 mg/kg (rat)			
Dermal	LD50	>900 mg/kg (rat)			
1330-43	1330-43-4 disodium tetraborate, anhydrous				
Oral	LD50	4500 mg/kg (rat)			
1310-58-3 potassium hydroxide					
Oral	LD50	365 mg/kg (rat)			

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

· Additional toxicological information:

At present there are no animal experimental data.

This statement was deduced from the properties of the single components.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

No further relevant information available.

123-31-9 hydroquinone		
EC50/48 h	0.29 mg/l (Daphnia magna)	
IC50/72 h	0.335 mg/l (Selenastrum capricornutum)	
LC50/96 h	0.044 mg/l (Pimephales promelas)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · Behaviour in environmental systems: Not determined
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects: No further relevant information available.

(Contd. on page 8)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 7)

- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.

Do not allow product to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· European waste catalogue

09 01 01* water-based developer and activator solutions

- · Uncleaned packagings:
- Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.	1	U	N-	Nυ	ım	be	r

· ADR/RID, IMDG, IATA UN 3082

· 14.2 UN proper shipping name

· ADR/RID, IMDG, IATA ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (hydroquinone)

- · 14.3 Transport hazard class(es)
- · ADR/RID, IMDG, IATA



• Class 9 Miscellaneous dangerous substances and articles.

· Label 9

(Contd. on page 9)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

	(Contd. of page 8
· 14.4 Packing group · ADR/RID, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR/RID): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· 14.7 Transport in bulk according to Anr of Marpol and the IBC Code	nex II Not applicable.
· Transport/Additional information:	These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes.
· ADR/RID	Goods are not subject to the provisions in accordance with the special provision 375 ADR.
·IMDG	Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.
·IATA	Goods are not subject to the provisions in accordance with the special provision A197 IATA-DGR.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDROQUINONE), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 10)



Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 9)

Class	Share in %
I	4.3

- · Water hazard class: Water danger class 3 (Self-assessment): highly water-endangering.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
 1330-43-4 disodium tetraborate, anhydrous
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

- · Recommended restriction of use No public product, only for commercial use
- · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet:

Laboratory

Tel.: +49 (0)39291 425-15

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 11)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil A

(Contd. of page 10)

Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 2: Carcinogenicity – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients, Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

·* Data compared to the previous version altered.

GB





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Dentamat 3000 Teil B

· Article number: 10096

 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

· Application of the substance / the mixture

Photochemicals

Fixing agent for X-ray films

Reserved for industrial and professional use.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Calbe Chemie GmbH

Stadtfeld 31 D-39240 Calbe

Tel.: +49 (0)39291 425-0 Fax: +49 (0)39291 425-25 e-mail: info@calbe-chemie.de

www.calbe-chemie.de

· Informing department: Tel.: +49 (0)39291 42515 E-Mail: kr@calbe-chemie.de

· 1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 1)

· Dangerous components:

EINECS: 200-580-7

CAS: 64-19-7

Index number: 607-002-00-6 Reg.nr.: 01-2119475328-30-xxxx

2-5% acetic acid Flam. Liq. 3, H226Skin Corr. 1A, H314

Acute Tox. 4, H312

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

The product is not skin irritating.

· After eve contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

sulphur dioxide (SO2)

Nitrogen oxides (NOx)

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Put on breathing apparatus.

· Additional information The product is not flammable

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)



Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about protection against explosions and fires:

No special measures required.

The product is not flammable

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:

Keep away from foodstuffs, beverages and food.

- Further information about storage conditions: Store in a cool place.
- · Recommended storage temperature: 5-25 °C
- · Storage class

LGK 12

(German Technical Rule for Hazardous Substance – TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:
- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Synthetic gloves

Avoid natural rubber gloves.

· Penetration time of glove material

Value for permeation: Level \leq 6 (480 min)

(Contd. on page 4)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 3)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Not applicable

· As protection from splashes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

 \geq 3 (60 min)

· Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

· Flash point:

Form: Fluid
Colour: Colourless
Odour: Not characteristic

• **pH-value at 25 ℃:** 5,3

· Change in condition

Melting point/freezing point: < 5 °C Initial boiling point and boiling range: > 100 °C

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.
 Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C 1,36 g/cm³

· Solubility in / Miscibility with Water:

Water: miscible

· Viscosity:

dynamic:Not determinedkinematic:Not determined

· Solvent content:

Organic solvents: 0% Water: $^{\circ}$ 50 %

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Reacts with strong acids and alkali

(Contd. on page 5)



Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 4)

Reacts with acids releasing sulphur dioxide Reacts with alkalis releasing ammonia

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Sulphur dioxide

Ammonia

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: No known symptoms to date.
- · Additional toxicological information:

This statement was deduced from the properties of the single components.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Not determined
- · 12.2 Persistence and degradability Not determined
- · 12.3 Bioaccumulative potential Not determined
- · Behaviour in environmental systems: Not determined
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects: Not determined
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.

The product does not contain organically bounded halogens (AOX-free).

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 5)

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· European waste catalogue

09 01 04* fixer solutions

- · Uncleaned packagings:
- Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	n
· 14.1 UN-Number · ADR/RID, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID · ADN, IMDG, IATA	Void Void
· 14.3 Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 65
- · National regulations

Class	Share in %
I	0.9
l II	4.9

- · Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

- · Recommended restriction of use No public product, only for commercial use
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet:

Laboratory

Tel.: +49 (0)39291 425-15

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Sources

applicable EEC directives:

- 1907/2006
- 1272/2008

(Contd. on page 8)





Printing date 15.11.2017 Version 8 Revision: 15.11.2017

Trade name: Dentamat 3000 Teil B

(Contd. of page 7)

Internal physical tests, MSDS of the ingredients, Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

·* Data compared to the previous version altered.

GB