

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **A 922 Anti-Algae**

Article number: 17080

Registration number BAUA: N-74427

1.2 Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

Application of the substance / the mixture

Printing and reproduction of recorded media

Photographic activities

Biocide

Reserved for industrial and professional use.

Uses advised against

All applications that are not expressly named as permitted uses in this safety data sheet are considered prohibited.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Calbe Chemie GmbH

Stadtfeld 31

D-39240 Calbe

Phone: +49 (0)39291 425-0

Fax: +49 (0)39291 425-25

e-mail: info@calbe-chemie.de

www.calbe-chemie.de

Informing department: E-Mail: info@calbe-chemie.de

1.4 Emergency telephone number:

Phone: +49 (0) 700-24112112 (CAL)

Phone: +1 872 5888271(CAL)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Additional information:

The full text of the classification and labelling elements mentioned is given in Section 16.

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 1)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS05 GHS07 GHS09

Signal word Danger

Hazard-determining components of labelling:

2-methylisothiazol-3(2H)-one

1,2-benzisothiazol-3(2H)-one

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one

2.3 Other hazards

No special hazards known if the regulations/instructions for storage and handling are observed.

Where applicable, this section provides information on other hazards that do not result in classification but may contribute to the overall hazards of the substance or mixture.

The product does not contain any substance above legal limits that fulfils the criteria for PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative). The product does not contain any substance above the legal limits that has been included in the list drawn up in accordance with Article 59(1) of Regulation (EC) No 1907/2006 due to endocrine disrupting properties or that has endocrine disrupting or endocrine disrupting properties in accordance with Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

GB

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components:

CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one	≥ 3 - < 5%
	Acute Tox. 2, H330	
	Eye Dam. 1, H318	
	Aquatic Acute 1, H400	
CAS: 2682-20-4 EINECS: 215-185-5 Index number: 011-002-00-6	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥ 3 - < 5%
	2-methylisothiazol-3(2H)-one	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330	
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	
	Skin Sens. 1A, H317	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 24 hours after the accident.

Personal protection for the First Aider.

After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

After eye contact

Rinse opened eye for several minutes under running water (at least 15 minutes).

Remove contact lenses, if present and easy to do.

Protect uninjured eye.

Call a doctor immediately.

After swallowing

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious).

Instantly call for doctor.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Symptomatic treatment

Basic relief, decontamination, symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents

No strong water jet (to avoid material dispersion).

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 3)

- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Sulphur oxides (SO_x)
Nitrogen oxides (NO_x)
Carbon monoxide
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained breathing apparatus.
Do not inhale explosion gases or combustion gases.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Do not allow product to reach sewage system or water bodies.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or water bodies.
Inform respective authorities in case product reaches water or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Wear protective clothing.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
No special measures required.
Compliance with the general rules of preventive workplace fire safety.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
- **Recommended storage temperature:**
5-25°C
10 - 30 °C
- **Storage class**
(German Technical Rule for Hazardous Substance – TRGS 510)
10

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 4)

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Additional information about design of technical systems:** No further data; see section 7.

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

2634-33-5 1,2-benzisothiazol-3(2H)-one

Inhalative	Systematic effects - long term	0.05 mg/m ³ (ATE)
------------	--------------------------------	------------------------------

2682-20-4 2-methylisothiazol-3(2H)-one

Inhalative	Systematic effects - long term	0.05 mg/m ³ (ATE)
------------	--------------------------------	------------------------------

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Wash contaminated clothing before reuse.

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

· **Breathing equipment:**

Provide adequate ventilation.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Protection of hands:**

Protective gloves.

The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material:

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

0,4 mm

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 5)

- **Penetration time of glove material** Value for permeation: Level ≥ 6 (480 min)
- **As protection from splashes gloves made of the following materials are suitable:**
Synthetic gloves
Value for the permeation: Level:
 ≥ 3 (60 min)
- **Not suitable are gloves made of the following materials:** Natural rubber, NR
- **Eye protection:** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Light yellow
Odour:	Mild
Odour threshold:	Not determined
- **pH-value at 20 °C:** 4
- **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C (H ₂ O)
- **Flash point:** > 100 °C
- **Inflammability (solid, gaseous)** Not applicable
- **Auto-ignition temperature:** 396 °C
- **Decomposition temperature:** Not determined
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Critical values for explosion:**

Lower:	Not determined
Upper:	Not determined
- **Vapour pressure at 20 °C:** 23 hPa (H₂O)
- **Density at 20 °C** 1.04 g/cm³
- **Relative density at 20 °C** 1.063 g/cm³ (OECD 109 - S 2700)
- **Vapour density** Not determined
- **Evaporation rate** Not determined
- **Solubility in / Miscibility with Water:** miscible
- **Partition coefficient: n-octanol/water:** Not determined
- **Viscosity:**

dynamic at 20 °C:	1.46 mPas
kinematic:	Not determined
- **Solvent content:**

Water:	90.0 %
Solids content:	11.3 %

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 6)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with oxidizing agents
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Formation of poisonous gases during heating or in fires.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD50, oral > 2000 mg/kg rat

LD50, dermal > 2000 mg/kg rat

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	1,899 mg/kg (ATE)
Dermal	LD50	4,850 mg/kg (ATE)

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	LD50	450 mg/kg (ATE)
------	------	-----------------

2682-20-4 2-methylisothiazol-3(2H)-one

Oral	LD50	120 mg/kg (ATE)
Dermal	LD50	242 mg/kg (ATE)

Primary irritant effect:

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

This statement was deduced from the properties of the single components.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) None

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

GB

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 7)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Not determined
- **12.2 Persistence and degradability** Easily biodegradable
- **Behaviour in environmental systems:** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:** No further relevant information available.
- **Remark:**
Very toxic for fish
Toxic for fish
- **Additional ecological information:**
- **General notes:**
This statement was deduced from the properties of the single components.
Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.
Also poisonous for fish and plankton in water bodies.
At present there are no ecotoxicological assessments.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Very toxic for aquatic organisms
Toxic for aquatic organisms
The product does not contain organically bounded halogens (AOX-free).
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Must be specially treated under adherence to official regulations.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **Uncleaned packagings:**
- **Recommendation:**
Non contaminated packagings can be used for recycling.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 8)

SECTION 14: Transport information

· 14.1 UN-Number	
· ADR/RID, IMDG, IATA	Void
· 14.2 UN proper shipping name	
· ADR/RID, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable
· 14.6 Special precautions for user	Not applicable
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
· Transport/Additional information:	These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes.
· ADR/RID	Goods are not subject to the provisions in accordance with the special provision 375 ADR.
· IMDG	Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.
· IATA	Goods are not subject to the provisions in accordance with the special provision A197 IATA-DGR.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 10)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 9)

· Hazard pictograms



GHS05 GHS07 GHS09

· Signal word Danger

· Hazard-determining components of labelling:

2-methylisothiazol-3(2H)-one

1,2-benzisothiazol-3(2H)-one

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I

None of the ingredients is listed.

· Seveso category E1 Hazardous to the Aquatic Environment

· Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· National regulations

Employment restrictions under the German Youth Employment Protection Act (JArbSchG) must be observed.

Employment restrictions under the German Maternity Protection Act (MuSchG) must be observed.

· Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· Decree to be applied in case of technical fault:

Class	Share in %
I	5.0

· Water hazard class: Water danger class 3 (Self-assessment): highly water-endangering.

(Contd. on page 11)

Safety data sheet according to UK REACH

Printing date 20.08.2026

Version 7.2

Revision: 20.08.2026

Trade name: A 922 Anti-Algae

(Contd. of page 10)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· **Recommended restriction of use** No public product, only for commercial use

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

· *** Data compared to the previous version altered.**